

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to:

Commissioner for Patents, P.O Box 1450
Alexandria, VA, 22313-1450 on

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Applicant: Erwan Le Roy and William B. Thompson Ofrp Art Unit: 2812 Assignee: Credence Systems Corporation Ex: Olivia T. Luk Office: February 27, 2004 For: METHOD AND APPARATUS FOR THE IMPROVEMENT OF MATERIAL/VOLTAGE CONTRAST METHOD AND APPARATUS MATERIAL/VOLTAGE CONTRAST

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

This is in response to the Office Action dated March 3, 2005.

Please send future correspondence to:

Deborah Wenocur, c/o Shelly Garrett Credence Systems Corporation 1421 California Circle Milpitas, CA 95035-3099 Tel. 650 493-3849 Fax. 650 493-2264 The Examiner has imposed a restriction requirement wherein the Applicant is requested to elect one from groups I-VI as described in the Office Action. The Applicant respectfully traverses this requirement. The Applicant asserts that all claims are directed to the same invention and that the method and apparatus claims are interrelated. In particular, group III, method claims 58-67, are directed to a method for determining the cross sectional profile which requires and is an extension of group I, the method for establishing a non-transient voltage contrast. These groups are disclosed as capable of use together and do include the same mode of operation.

In the event that this traversal is not upheld, the Applicant elects Group I, claims 1-56.

Respectfully submitted,

Delipsul Willion

Deborah W. Wenocur

Reg. No. 40,221

Agent for Applicant

Tel. (650) 493-3849